# **Ambulance Joint Committee Meeting**

Lee County/City of Giddings March 10, 2014

The following were present: Mayor Charlie Brown, Council Member Alan Casey; City Attorney Tim Kleinschmidt; County Judge Paul Fischer, County Commissioner Douglas Hartfield; County Attorney Martin Placke. Also in attendance: City Manager Ricky Jorgensen, City Secretary Jessica Graefe; David True; Sylvin Mersiovsky, Rodney and Gina Mersiovsky. Absent: City Attorney Michelle Weiser.

### I. Call to Order

Judge Fischer called to order the committee meeting at 1:32 p.m. on Wednesday, March 10, 2014, at the Lee County Courthouse.

## II. Cmments from the public

No comments.

## III. Discuss current emergency medical services contracts and future needs

Council Member Alan Casey addressed the option of extending the current contract for another 5 years to Rodney Mersiovsky with no increase in funding.

Rodney Mersiovsky addressed two reasons for funding increase:

- 1) Third crew needed as paid standby, but not at \$12 an hour
- 2) \$50,000 reserved for equipment replacement

## County Attorney -

- this contract needs to be looked at as a complete new business with a new owner
- current contract states that third ambulance will be used if needed
- Would like to have a break down to justify the increase
- A 6 month break down of when the third ambulance and crew was on a call

#### Mayor Brown -

 Keep contract as is till it expires in 2016 and bring back to city council during budget process with proposal

#### Tim Kleinschmidt-

• If the funding proposal is brought back to the city council and county commissioners during the budget process it should be posted as a joint meeting to have the presentation given at one time.

A third committee meeting will be scheduled in 3 weeks.

#### IV. Adjournment

County Commissioner Douglas Hartfield moved to adjourn the meeting. The motion was seconded by County Attorney Martin Placke.

County Judge adjourned the meeting at 3:22 p.m.

Minutes submitted by: Jessica Graefe, City Secretary